




## IP Networking Camera: FCS-1030 Super CMOS MPEG4 Audio (WLAN)



### Key features:

- Live video and audio monitoring via 3G Mobile phone or Media Adapter MPEG-4 Video Compression
- Optimal synchronization of audio & video
- Supports 4x digital zoom
- Up to 30 frames per second in full VGA resolution
- Supports UPnP for Easy set-up and installation
- Supports 3GPP/ISMA RTSP (Real Time Streaming Protocol)
- Supports Windows 98SE/ME/2000/XP
- Motion detection
- Adjustable network bandwidth
- Event-notification via E-mail
- Friendly GUI for easy configuration



สนใจ สอบถามรายละเอียดเพิ่มเติม กรุณาติดต่อ  
บริษัท เอส-วัน เทคโนโลยี จำกัด โทร 02-991-6962 มือถือ 086-789-7434  
Email: [kitti@sone.co.th](mailto:kitti@sone.co.th)



## Technical Specification

### Networking

- **Standards Compliance**  
IEEE 802.3/u
- **Ports**  
1 x RJ-45 10/100 Mbps port

### Camera Specification

- **Lens**  
Fixed focal w/ fine tuning, 4.0mm, F=1.8
- **Image Sensor**  
1/4" Color CMOS Sensor
- **Max. Resolution**  
640 x 480 pixels
- **Minimum Illumination**  
10Lux / F1.8
- **Electronic Shutter:**  
1/60 ~ 1/15,000 sec

### Video

- **Video Algorithm Support:**  
Stream Video (MPEG4)  
Still Photos (JPEG)
- **Video Resolution:**  
Up to 30/25 frames at 160 x 120  
Up to 30/25 frames at 320 x 240  
Up to 10 frames at 640 x 480

### Audio

- **Audio Codec**  
24Kbps
- **Others**  
Supports audio mute

### Microphone

- **Type**  
Omni-directional
- **Frequency**  
50 ~ 16000Hz
- **S/N Ratio**  
More than 60dB

### Hardware & Environment

- **CPU**  
Trimedia PNX 1300
- **RAM**  
16MB SDRAM
- **ROM**  
2MB Flash ROM
- **Power**  
Input: 100~240VAC, 50/60Hz, 0.4A  
Output: 5VDC, 2A
- **Temperature**  
Operating: 0°C ~50°C (32°F ~ 122°F)
- **Humidity**  
Operating: 10%~95%(Non-Condensing)
- **Dimension**  
72.8mm(W) \* 28.6mm(D) \* 115.2mm(H)
- **Weight**  
215g
- **EMI and Safety**  
FCC, CE

### Viewing System Requirement

- **OS**  
Microsoft Windows 98SE/ ME/ 2000/ XP
- **Browser**  
IE 5.5 or above

## Product Diagram



สนใจ สอบถามรายละเอียดเพิ่มเติม กรุณาติดต่อ  
บริษัท เอส-วัน เทคโนโลยี จำกัด โทร. 02-991-6962 มือถือ 086-789-7434  
Email: [kitti@sone.co.th](mailto:kitti@sone.co.th)



### โปรแกรมบันทึกภาพ

เลือกชมได้แบบเต็มจอ แบบแบ่ง 4 กล้อง, 6 กล้อง, 9 กล้อง, 16 กล้อง  
ตั้งเวลาบันทึก แบ่งช่วงเวลาในการบันทึก ได้ง่าย และสามารถชมทางอินเทอร์เน็ตได้พร้อมกัน



### โปรแกรม Play Back



เลือกช่วงเวลา ปรับขยายภาพ ปรับ Speed ในการชม ได้ง่าย และสามารถชมภาพแบบเต็มจอ (Full Screen)